

Issuing Date 20-Jan-2021

Revision Date 20-Jan-2021

Revision Number 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name Calibel

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Internal linings in buildings

Uses advised against No specific uses advised against are identified

1.3. Details of the supplier of the safety data sheet

Supplier

Saint-Gobain Construction Products (Ireland) Limited
Unit 4 Kilcarbery Business Park
Nangor Road
Dublin 22
D22 R2Y7
Ireland
Tel: +353 (0)1 629 8444

For further information, please contact

E-mail address info@isover.ie

1.4. Emergency telephone number

Emergency telephone ROI: 1800 744480
NI: 0845 3990159
(Monday - Friday, 9am - 5pm)

Europe emergency contact number: 112

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is classified as not hazardous according to regulation (EC) 1272/2008 [CLP]

2.2. Label elements

Hazard statements

Not classified

Additional information

As supplied, this product does not meet the requirements for labelling

2.3. Other hazards

The product does not contain any substance(s) classified as PBT or vPvB. Cutting and handling may create dust. Product dust

may be irritating to eyes, skin and respiratory system. Sharp edges and corners may cause cuts and abrasions. May cause temporary skin irritation by mechanical action.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Composite product consisting of a mineral wool slab and a plasterboard.

Mineral wool slab: Glass mineral wool - inert vitreous silicate mineral wool bonded with a thermosetting resin, which has been urea extended. Contains up to 0.7% mineral oil.

Plasterboard: Calcium sulfate dihydrate and glass fibre encased in paper liners, natural constituents may include minor amounts of quartz. Small quantities of microsilica and vermiculite may be added, with starch, foam and dispersants

Chemical name	Weight-%	REACH registration number	EC No	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	M-Factor	M-Factor (long-term)
Calcium sulfate dihydrate 10101-41-4	50 - 75	-	231-900-3	Not Classified [C]	-	-	-
Mineral wool -	20 - 40	-	-	Not Classified [C]	-	-	-

[C] - Components with occupational exposure limits and/or biological occupational exposure limits requiring monitoring

Full text of H- and EUH-phrases: see section 16

Acute Toxicity Estimate

If LD50/LC50 data is not available or does not correspond to the classification category, then the appropriate conversion value from CLP Annex I, Table 3.1.2, is used to calculate the acute toxicity estimate (ATEmix) for classifying a mixture based on its components

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50 - 4 hour - dust/mist - mg/L	Inhalation LC50 - 4 hour - vapour - mg/L	Inhalation LC50 - 4 hour - gas - ppm
Calcium sulfate dihydrate 10101-41-4	> 2000	-	> 3.26	-	-

Additional information

Mineral Wool: Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na₂O+K₂O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Note Q conditions].

This product does not contain candidate substances of very high concern at a concentration $\geq 0.1\%$ (Regulation (EC) No. 1907/2006 (REACH), Article 59)

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice	Get medical attention if irritation or other symptoms occur. Take a copy of the Safety Data Sheet when going for medical treatment.
Inhalation	Not an expected route of exposure. IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. IF exposed or concerned: Get medical advice/attention.
Eye contact	Not an expected route of exposure. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Do not rub affected area. Get medical attention if irritation develops and persists.
Skin contact	Wash skin with soap and water. Get medical attention if irritation develops and persists.
Ingestion	IF SWALLOWED: Rinse mouth thoroughly with water. Drink 1 or 2 glasses of water. Do not induce vomiting without medical advice. Never give anything by mouth to an unconscious person. Get medical attention immediately if symptoms occur.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms	Harmful dust may be released during cutting or grinding process. Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation. May cause temporary skin irritation by mechanical action.
-----------------	--

4.3. Indication of any immediate medical attention and special treatment needed

Note to doctors	Treat symptomatically.
------------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media	Dry chemical, CO ₂ , alcohol-resistant foam or water spray. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable extinguishing media	Do not use a solid water stream as it may scatter and spread fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the chemical	None known based on information supplied.
Hazardous combustion products	Harmful gases or vapours. Oxides of sulphur. Carbon monoxide. Carbon dioxide (CO ₂).

5.3. Advice for firefighters

Specific/special fire-fighting measures	Avoid breathing vapours. Evacuate area. Move containers from fire area if you can do it without risk. Cool containers with flooding quantities of water until well after fire is out.
Special protective equipment for fire-fighters	Firefighters should wear self-contained breathing apparatus and full firefighting turnout gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Ensure adequate ventilation. Keep people away from and upwind of spill/leak. Wear personal protective clothing (see section 8). Avoid breathing dust. Avoid contact with eyes. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area). Wash thoroughly after handling.
-----------------------------	---

For emergency responders Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Collect spillage. Avoid release to the environment. Local authorities should be advised if significant spillages cannot be contained. See Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Use personal protection recommended in Section 8. Clear up spills immediately and dispose of waste safely. Stay upwind. Collect spillage. Sweep up and shovel into suitable containers for disposal. Do not dry sweep dust. Wet dust with water before sweeping or use a vacuum to collect dust. Avoid generation of dust. Prevent product from entering drains. After cleaning, flush away traces with water. Wash thoroughly after handling. Dispose of wastes in an approved waste disposal facility.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See Section 11 for more information. See section 13 for more information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Read carefully and follow all instructions. Do not handle until all safety precautions have been read and understood. Avoid unnecessary handling of unwrapped product. Wear personal protective equipment. See section 8 for more information. Keep away from food, drink and animal feedingstuffs. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Minimise dust generation and accumulation. Do not breathe dust. Ensure adequate ventilation. If cutting material, use sharp hand tools and avoid power tools. Wash hands thoroughly after handling.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions Store away from incompatible materials. Store in accordance with local regulations. Store in a cool, well ventilated area. Keep away from heat, sparks, flame and other sources of ignition (i.e., pilot lights, electric motors and static electricity). Keep away from combustible material. Keep in a dry place.

7.3. Specific end use(s)

Specific use(s).
The identified uses for this product are detailed in Section 1.2

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Exposure to these ingredients as inhalable or respirable dust is minimal during normal use.
Avoid generation of dust.

Chemical name	European Union	Austria	Belgium	Bulgaria	Croatia
Calcium sulfate dihydrate 10101-41-4	-	TWA: 5 mg/m ³ STEL 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³	-
Mineral wool -	-	-	-	TWA: 6.0 mg/m ³ TWA: 1.0 fiber/cm ³	TWA: 5 mg/m ³ TWA: 2 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	TWA: 0.15 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	Cyprus	Czech Republic	Denmark	Estonia	Finland
Quartz (SiO ₂) 14808-60-7	-	TWA: 0.1 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.05 mg/m ³
Chemical name	France	Germany	Germany MAK	Greece	Hungary
Calcium sulfate dihydrate 10101-41-4	TWA: 10 mg/m ³	TWA: 6 mg/m ³	TWA: 1.5 mg/m ³ TWA: 4 mg/m ³	-	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³	-	-	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Mineral oil 8042-47-5	-	TWA: 5 mg/m ³	TWA: 5 mg/m ³ Peak: 20 mg/m ³	-	TWA: 5 mg/m ³
Chemical name	Ireland	Italy	Italy REL	Latvia	Lithuania
Calcium sulfate dihydrate 10101-41-4	TWA: 10 mg/m ³ STEL: 30 mg/m ³	-	TWA: 10 mg/m ³	TWA: 4 mg/m ³	-
Mineral wool -	TWA: 1 fibre/cm ³ TWA: 5 mg/m ³ STEL: 3 fibre/cm ³ STEL: 15 mg/m ³	-	-	TWA: 3 fiber/cm ³ air	-
Quartz (SiO ₂) 14808-60-7	TWA: 0.1 mg/m ³ STEL: 0.3 mg/m ³ (Silica, crystalline, respirable dust) TWA: 6 mg/m ³ TWA: 2.4 mg/m ³ (Silica, amorphous)	-	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m ³	-
Chemical name	Luxembourg	Malta	Netherlands	Norway	Poland
Calcium sulfate dihydrate 10101-41-4	-	-	-	-	TWA: 10 mg/m ³
Mineral wool -	-	-	-	-	TWA: 1 fiber/cm ³
Quartz (SiO ₂) 14808-60-7	-	-	TWA: 0.075 mg/m ³	TWA: 0.3 mg/m ³ TWA: 0.1 mg/m ³ STEL: 0.9 mg/m ³ STEL: 0.3 mg/m ³	TWA: 0.1 mg/m ³
Chemical name	Portugal	Romania	Slovakia	Slovenia	Spain
Calcium sulfate dihydrate 10101-41-4	TWA: 10 mg/m ³	-	TWA: 4 mg/m ³ TWA: 1.5 mg/m ³	TWA: 6 mg/m ³	TWA: 10 mg/m ³
Quartz (SiO ₂) 14808-60-7	TWA: 0.025 mg/m ³	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³ STEL: 0.5 mg/m ³	-	TWA: 0.05 mg/m ³
Mineral oil 8042-47-5	-	-	-	TWA: 5 mg/m ³ STEL: STEL mg/m ³	-
Chemical name	Sweden		Switzerland		United Kingdom
Calcium sulfate dihydrate 10101-41-4	-		TWA: 3 mg/m ³		TWA: 10 mg/m ³ TWA: 4.0 mg/m ³
Mineral wool -	-		-		TWA: 2 fibre/mL TWA: 5 mg/m ³
Quartz (SiO ₂) 14808-60-7	NGV: 0.1 mg/m ³		TWA: 0.15 mg/m ³		TWA: 0.1 mg/m ³ (Silica, respirable crystalline) TWA: 6 mg/m ³

			TWA: 2.4 mg/m ³ (Silica, amorphous)
Mineral oil 8042-47-5	-	TWA: 5 mg/m ³	-

Chemical name	European Union	Austria	Bulgaria	Croatia	Czech Republic
Quartz (SiO ₂) 14808-60-7	-	(-)	-	-	-

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration (PNEC) No information available.

8.2. Exposure controls

Engineering controls Ensure adequate ventilation, especially in confined areas. Ensure that eyewash stations and safety showers are close to the workstation location. Apply technical measures to comply with the occupational exposure limits. As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist. Provide extract ventilation at the points where emissions occur. Ensure the ventilation system is regularly maintained and tested.

Personal protective equipment

Eye/face protection If there is a risk of contact: Tight sealing safety goggles. Eye protection must conform to standard EN 166.

Hand protection Wear suitable gloves to avoid itching. Gloves must conform to standard EN 374. During cutting, grinding or sanding operations, wear protective gloves if handling sharp or rough edges.

Skin and body protection No special protective equipment required.

Respiratory protection Harmful dust may be released during cutting or grinding process. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Dust mask for dust formation. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. Ensure all respiratory protective equipment is suitable for its intended use and is 'CE'-marked. Check that the respirator fits tightly and the filter is changed regularly.

General hygiene considerations Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and after work. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash it before reuse.

Environmental exposure controls Avoid creating dust.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Board
Physical state	Solid
Colour	Characteristic
Odour	Odourless
Odour threshold	No information available

Property	Values	Remarks • Method
Melting point / freezing point	> 600 °C	Mineral wool

Initial boiling point and boiling range	No data available	None known
Flammability	No data available	None known
Flammability Limit in Air		None known
Upper flammability or explosive limits	No data available	
Lower flammability or explosive limits	No data available	
Flash point	No data available	None known
Autoignition temperature	No data available	None known
Decomposition temperature	> 150 °C	Organic binder
pH	No data available	None known
pH (as aqueous solution)	No data available	No information available
Kinematic viscosity	No data available	None known
Dynamic viscosity	No data available	None known
Water solubility	Insoluble in water	None known
Solubility(ies)	No data available	None known
Partition coefficient	No data available	None known
Vapour pressure	No data available	None known
Relative density	No data available	None known
Bulk density	No data available	
Liquid Density	No data available	
Vapour density	No data available	None known
Particle characteristics		
Particle Size	No information available	
Particle Size Distribution	No information available	

9.2. Other information

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity None under normal use conditions.

10.2. Chemical stability

Stability Stable under normal conditions. Stable under recommended storage conditions.

Explosion data

Sensitivity to mechanical impact None.

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal processing.

10.4. Conditions to avoid

Conditions to avoid Dust formation. Extremes of temperature and direct sunlight. Excessive heat.

10.5. Incompatible materials

Incompatible materials None known based on information supplied.

10.6. Hazardous decomposition products

Hazardous decomposition products None known based on information supplied. Above 150°C, the organic binder will decompose: Carbon oxides. Water.

SECTION 11: Toxicological information**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008****Information on likely routes of exposure****Product Information**

Inhalation	Harmful dust may be released during cutting or grinding process. Inhalation of dust in high concentration may cause irritation of respiratory system.
Eye contact	Not an expected route of exposure. Dust contact with the eyes can lead to mechanical irritation.
Skin contact	Prolonged contact may cause redness and irritation. Contact with dust can cause mechanical irritation or drying of the skin.
Ingestion	Not an expected route of exposure. May cause gastrointestinal discomfort. May cause irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Product dust may be irritating to eyes, skin and respiratory system. May cause discomfort if swallowed. Prolonged contact may cause redness and irritation. Fibres may cause mechanical irritation.

Numerical measures of toxicity

Based on available data, the classification criteria are not met

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Calcium sulfate dihydrate	> 2000 mg/kg (Rat)	-	> 3.26 mg/l
Mineral oil	> 5000 mg/kg (Rat)	-	-

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Exposure route	Dermal
Effective dose	0.5 g
Exposure time	4 hours
Results	non-irritant

Mineral wool (-)

Method	OECD Test No. 404: Acute Dermal Irritation/Corrosion
Results	non-irritant

Serious eye damage/eye irritation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 405: Acute Eye Irritation/Corrosion
Exposure route	Eye
Effective dose	0.1 g
Results	non-irritant

Mineral wool (-)	
Results	non-irritant

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 406: Skin Sensitisation
Exposure route	Dermal
Results	Not a skin sensitiser

Mineral wool (-)	
Results	Not a skin sensitiser

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Method	OECD Test No. 471: Bacterial Reverse Mutation Test
Species	in vitro
Results	Not mutagenic

Method	OECD Test No. 474: Mammalian Erythrocyte Micronucleus Test
Species	in vivo
Results	Not mutagenic

Carcinogenicity Based on available data, the classification criteria are not met. Note: EU Index Number: 650-016-00-2 [Man-made vitreous (silicate) fibres with random orientation with alkaline and alkali earth oxides (Na₂O+K₂O+CaO+ MgO+BaO) content greater than 18% by weight and fulfilling one of the CLP Regulation Annex VI Note Q conditions].

Component Information	
Mineral wool (-)	
Results	Not Carcinogenic

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT - single exposure Based on available data, the classification criteria are not met.

STOT - repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Not applicable.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

11.2.2. Other information

Other adverse effects None known based on information supplied.

SECTION 12: Ecological information**12.1. Toxicity**

Ecotoxicity Based on available data, the classification criteria are not met. Not considered to be harmful to aquatic life.

Component Information	
Calcium sulfate dihydrate (10101-41-4)	
Results	Not toxic at limit of water solubility

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea
Mineral wool	EC50: >1000 mg/L (3d, <i>Pseudokirchneriella subcapitata</i>)	LC50: >1000 mg/L (96h, <i>Danio rerio</i>)	-	EC50: >1000 mg/L (3d, <i>Daphnia magna</i>)
Mineral oil	-	LC50: >10000mg/L (96h, <i>Lepomis macrochirus</i>)	-	-

12.2. Persistence and degradability

Persistence and degradability The methods for determining biodegradability are not applicable to inorganic substances.

Component Information			
Calcium sulfate dihydrate (10101-41-4)			
Method	Exposure time	Value	Results
-	-	-	Substance is inorganic. Not relevant

12.3. Bioaccumulative potential

Bioaccumulation No information available.

Chemical name	Partition coefficient
Mineral oil	>6

12.4. Mobility in soil

Mobility in soil No information available.

Mobility Insoluble in water.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB.

Chemical name	PBT and vPvB assessment
Calcium sulfate dihydrate	The substance is not PBT / vPvB

Mineral wool	The substance is not PBT / vPvB
Mineral oil	The substance is not PBT / vPvB PBT assessment does not apply

12.6. Endocrine disrupting properties

Endocrine disrupting properties This product does not contain any known or suspected endocrine disruptors.

12.7. Other adverse effects

Other adverse effects None known based on information supplied.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused products The generation of waste should be minimised or avoided wherever possible. Recover or recycle if possible. This material and its container must be disposed of in a safe way. Dispose of in accordance with local regulations. Dispose of waste in accordance with environmental legislation.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Waste codes / waste designations according to EWC / AVV According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user based on the application for which the product was used.

SECTION 14: Transport information

IMDG

- | | |
|--|--------------------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| Marine pollutant | Not applicable |
| 14.6 Special Precautions for Users | |
| Special Provisions | None |
| 14.7 Maritime transport in bulk according to IMO instruments | No information available |

RID

- | | |
|------------------------------------|----------------|
| 14.1 UN number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |
| 14.5 Environmental hazards | Not applicable |
| 14.6 Special Precautions for Users | |
| Special Provisions | None |

ADR

- | | |
|---------------------------------|---------------|
| 14.1 UN number or ID number | Not regulated |
| 14.2 UN proper shipping name | Not regulated |
| 14.3 Transport hazard class(es) | Not regulated |
| 14.4 Packing group | Not regulated |

14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None

IATA

14.1 UN number or ID number	Not regulated
14.2 UN proper shipping name	Not regulated
14.3 Transport hazard class(es)	Not regulated
14.4 Packing group	Not regulated
14.5 Environmental hazards	Not applicable
14.6 Special Precautions for Users	
Special Provisions	None
Note:	None

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Chemical name	French RG number	Title
Quartz (SiO ₂) 14808-60-7	RG 25	-
Mineral oil 8042-47-5	RG 36bis	-

Chemical name	Netherlands - List of Carcinogens	Netherlands - List of Carcinogens	Netherlands - List of Reproductive Toxins
Quartz (SiO ₂)	Present	-	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work.

Authorisations and/or restrictions on use:

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV). This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009 Not applicable

Chemical name	Plant protection products directive (91/414/EEC)
Quartz (SiO ₂) - 14808-60-7	Plant protection agent
Mineral oil - 8042-47-5	Plant protection agent

International Inventories

TSCA	Contact supplier for inventory compliance status
DSL/NDL	Contact supplier for inventory compliance status
EINECS/ELINCS	Contact supplier for inventory compliance status
ENCS	Contact supplier for inventory compliance status
IECSC	Contact supplier for inventory compliance status
KECL	Contact supplier for inventory compliance status
PICCS	Contact supplier for inventory compliance status
AICS	Contact supplier for inventory compliance status

Legend:

TSCA	- United States Toxic Substances Control Act Section 8(b) Inventory
DSL/NDL	- Canadian Domestic Substances List/Non-Domestic Substances List
EINECS/ELINCS	- European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS	- Japan Existing and New Chemical Substances
IECSC	- China Inventory of Existing Chemical Substances
KECL	- Korean Existing and Evaluated Chemical Substances
PICCS	- Philippines Inventory of Chemicals and Chemical Substances
AICS	- Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

Chemical Safety Report Not applicable

SECTION 16: Other information**Key or legend to abbreviations and acronyms used in the safety data sheet****Legend**

SVHC: Substances of Very High Concern for Authorisation:

PBT	Persistent, Bioaccumulative, and Toxic (PBT) Chemicals
vPvB	Very Persistent and very Bioaccumulative (vPvB) Chemicals

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA	TWA (time-weighted average)	STEL	STEL (Short Term Exposure Limit)
Ceiling	Maximum limit value	*	Skin designation

Key literature references and sources for data used to compile the SDS

U.S. Environmental Protection Agency ChemView Database
 European Food Safety Authority (EFSA)
 EPA (Environmental Protection Agency)
 Acute Exposure Guideline Level(s) (AELG(s))
 U.S. Environmental Protection Agency Federal Insecticide, Fungicide, and Rodenticide Act
 U.S. Environmental Protection Agency High Production Volume Chemicals
 Food Research Journal
 Hazardous Substance Database
 International Uniform Chemical Information Database (IUCLID)
 Japan GHS Classification
 Australian National Industrial Chemicals Notification and Assessment Scheme (NICNAS)
 NIOSH (National Institute for Occupational Safety and Health)
 National Library of Medicine's ChemID Plus (NLM CIP)
 National Toxicology Program (NTP)
 New Zealand's Chemical Classification and Information Database (CCID)
 Organisation for Economic Co-operation and Development Environment, Health, and Safety Publications
 Organisation for Economic Co-operation and Development High Production Volume Chemicals Programme
 Organisation for Economic Co-operation and Development Screening Information Data Set
 World Health Organization

Key literature references and sources for data

European Chemicals Agency

<http://echa.europa.eu>

Issuing Date 20-Jan-2021

Revision Date 20-Jan-2021

Revision Note Initial Release.

Further information

The glass wool fibres of this product are exonerated from the carcinogenic classification according to Regulation (EC)1272/2008 as they fulfil the criteria of the nota Q.

EUCEB, European Certification Board of Mineral Wool Products - www.euceb.org, is a voluntary initiative by the mineral wool industry. It is an independent certification authority that guarantees that products are made of fibres, which comply with the exoneration criteria for carcinogenicity (Note Q) of the Regulation (EC) 1272/2008.

To ensure that fibres comply with the exoneration criteria all tests and supervision procedures are carried out by independent, expert qualified institutions. EUCEB ensures that the producers of mineral wool have put in place self-control measures.

The products responding to the EUCEB certification are recognized by the EUCEB logo put on the packaging.

The mineral wool producers commit to EUCEB to:

- supply sampling and analysis reports established by laboratories recognized by EUCEB, proving that the fibres comply with one of the four criteria of exoneration described in Note Q of the Regulation (EC) 1272/2008
- be controlled, twice per year, of each production unit by an independent third party recognized by EUCEB (sampling and conformity to the initial chemical composition)
- put in place procedures of internal self-control in each production unit.

Moreover, in 2001, the International Agency for Research on Cancer, re-evaluated and reclassified mineral wool (insulation glass wool, rock (stone) wool and slag wool) from Group 2B (possibly carcinogenic) to Group 3 « agent which cannot be classified as for their carcinogenicity to humans». (See Monograph Vol 81, <http://monographs.iarc.fr/>)

This SDS is not mandated under REACH Regulation (EC) No 1907/2006 and is provided for information only

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet